

SAEG & SACE, 11 MARCH 2019



RJDemetra: an R interface to JDemetra+

ALAIN QUARTIER-LA-TENTE AND ANNA MICHALEK
Insee, Seasonal Adjustment Centre of Excellence (AQLT) and European
Central Bank (AM)
alain.quartier-la-tente@insee.fr

Sommaire

1. RJDemetra

- 1.1 Purpose and current status
- 1.2 RegARIMA examples
- 1.3 Seasonal adjustment examples
- 1.4 Manipulate workspaces
- 1.5 How to install the package?
- 1.6 Future developments

2. How to use RJDemetra to improve production of SA series?

Purpose of the RJDemetra package

RJDemetra is an  interface to JDemetra+ based on the  libraries of JDemetra+

- Complete R package for Tramo-Seats and X13
- Users: “pure R” package
 - Part of R routines, automatization
 - Batch processing
 - E.g.: direct vs indirect aggregates adjustment, dashboards
 - Usage of other R functions and packages
- JD+ functionality
 - Modeling and seasonal adjustment
 - Full specification
- Advanced graphical presentation: JD+

Current status

- RegARIMA, TRAMO-SEATS and X-13-ARIMA:
 - pre-defined and user-defined specifications
 - S3 classes with plot, summary, print methods
- Manipulate JD+ workspaces:
 - Import JD+ workspace to get input raw series or SA model
 - Export R models created via RJDemetra
- Include a dataset: industrial production indices in manufacturing in the European Union

RegARIMA examples (1/3)

```
library(RJDemetra)
ipi_fr <- ipi_c_eu[, "FR"]
regarima_model <- regarima_def_x13(ipi_fr, spec = "RG4c")
regarima_model
```

```
## y = regression model + arima (2, 1, 1, 0, 1, 1)
## Log-transformation: no
## Coefficients:
##             Estimate Std. Error
## Phi(1)      0.3358    0.171
## Phi(2)      0.2060    0.096
## Theta(1)   -0.2450    0.173
## BTheta(1)  -0.5112    0.050
##
##             Estimate Std. Error
## Easter [1]   -1.133    0.337
## LS (11-2008) -8.000    1.283
## LS (1-2009)  -7.551    1.283
```






RegARIMA examples (2/3)

```
summary(regarima_model)
```

```
## y = regression model + arima (2, 1, 1, 0, 1, 1)
##
## Model: RegARIMA - X13
## Estimation span: from 1-1990 to 12-2017
## Log-transformation: no
## Regression model: no mean, no trading days effect, no leap year effect, Easter
##
## Coefficients:
## ARIMA:
##             Estimate Std. Error   T-stat Pr(>|t|) 
## Phi(1)      0.33579   0.17106   1.963   0.0505 .
## Phi(2)      0.20600   0.09643   2.136   0.0334 * 
## Theta(1)   -0.24498   0.17272  -1.418   0.1571 
## BTheta(1)  -0.51123   0.05004 -10.216  <2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Regression model:
##             Estimate Std. Error   T-stat Pr(>|t|) 
## Easter [1]   -1.1332    0.3373  -3.359  0.000875 ***
## LS (11-2008) -7.9997    1.2831  -6.235  1.42e-09 ***
```

RegARIMA examples (3/3)

```
layout(matrix(1:6, 3, 2)); plot(regarima_model, ask = FALSE)
```



Seasonal adjustment examples (1/8)

A SA object is a `list()` of 5 elements:

```
SA
└── regarima (# X-13 and TRAMO-SEAT)
    ├── specification
    └── ...
└── decomposition (# X-13 and TRAMO-SEAT)
    ├── specification
    └── ...
└── final
    ├── series
    └── forecasts
└── diagnostics
    ├── variance_decomposition
    ├── combined_test
    └── ...
└── user_defined
```

Seasonal adjustment examples (2/8)

Like in JD+ users can defined their own specification or use a pre-defined one:

```
x13_usr_spec <- x13_spec_def(spec = c("RSA5c"),
                                usrdef.outliersEnabled = TRUE,
                                usrdef.outliersType = c("LS", "AO"),
                                usrdef.outliersDate = c("2008-10-01",
                                                       "2002-01-01"),
                                usrdef.outliersCoef = c(36, 14),
                                transform.function = "None")

x13_mod <- x13(ipi_fr, x13_usr_spec)
ts_mod <- tramoseats_def(ipi_fr, spec = "RSAfull")
```

Seasonal adjustment examples (3/8): decomposition

```
x13_mod$decomposition
```

```
## Monitoring and Quality Assessment Statistics:  
##      M stats  
## M(1)    0.055  
## M(2)    0.041  
## M(3)    0.926  
## M(4)    0.621  
## M(5)    0.724  
## M(6)    0.215  
## M(7)    0.074  
## M(8)    0.208  
## M(9)    0.056  
## M(10)   0.158  
## M(11)   0.146  
## Q       0.297  
## Q-M2   0.329  
##  
## Final filters:  
## Seasonal filter: 3x5  
## Trend filter: 13 terms Henderson moving average
```


Seasonal adjustment examples (4/8): decomposition

```
ts_mod$decomposition
```

```
## Model
## AR : 1 + 0.352498 B + 0.133616 B^2
## D : 1 - B - B^12 + B^13
## MA : 1 - 0.186819 B - 0.610856 B^12 + 0.114119 B^13
##
##
## SA
## D : 1 - 2.000000 B + B^2
## MA : 1 - 1.314459 B + 0.340427 B^2
## Innovation variance: 0.4669153
##
## Trend
## D : 1 - 2.000000 B + B^2
## MA : 1 + 0.040206 B - 0.959794 B^2
## Innovation variance: 0.04869563
##
## Seasonal
## AR : 1 + 0.352498 B + 0.133616 B^2
## D : 1 + B + B^2 + B^3 + B^4 + B^5 + B^6 + B^7 + B^8 + B^9 + B^10 + B^11
## MA : 1 + 0.717848 B + 0.460721 B^2 + 0.310085 B^3 + 0.132447 B^4 - 0.049053 B^5
## Innovation variance: 0.1601924
```

Seasonal adjustment examples (5/8)

```
plot(x13_mod$decomposition)
```




Seasonal adjustment examples (6/8)

x13_mod\$final

```
## Last observed values
##          y      sa      t      s      i
## Jan 2017 97.4 100.6172 100.6174 -3.2172329 -0.0001992082
## Feb 2017 97.5 100.3127 101.0283 -2.8126932 -0.7155966863
## Mar 2017 112.0 102.5469 101.4894  9.4530696  1.0575376567
## Apr 2017 103.0 101.0897 101.9282  1.9103111 -0.8385432983
## May 2017 100.4 103.0319 102.3136 -2.6318733  0.7182480125
## Jun 2017 111.2 102.4926 102.6921  8.7074293 -0.1994894034
## Jul 2017 103.4 103.1596 103.0816  0.2404277  0.0779236963
## Aug 2017  79.3 103.2483 103.5055 -23.9483256 -0.2572170473
## Sep 2017 109.7 103.5536 103.9555  6.1464361 -0.4019376040
## Oct 2017 114.0 106.6886 104.3955  7.3113786  2.2931579296
## Nov 2017 107.7 105.4631 104.7505  2.2369236  0.7125546908
## Dec 2017 101.4 104.7490 105.0214 -3.3490189 -0.2723590878
##
## Forecasts:
##          y_f     sa_f     t_f      s_f      i_f
## Jan 2018 101.96630 105.0963 105.1795 -3.1299775 -0.083200162
## Feb 2018 102.23632 105.1464 105.2838 -2.9100563 -0.137428535
## Mar 2018 113.85794 105.5026 105.3966  8.3553336  0.105971540
## Apr 2018 108.47477 105.4896 105.5573  2.9851827 -0.067754048
```

Seasonal adjustment examples (7/8)

```
plot(x13_mod$final, first_date = 2012, type_chart = "sa-trend")
```



Seasonal adjustment examples (8/8)

x13_mod\$diagnostics

```
## Relative contribution of the components to the stationary
## portion of the variance in the original series,
## after the removal of the long term trend
## Trend computed by Hodrick-Prescott filter (cycle length = 8.0 years)
## Component
## Cycle      1.557
## Seasonal   39.219
## Irregular   0.362
## TD & Hol.   0.018
## Others     61.971
## Total      103.128
##
## Combined test in the entire series
## Non parametric tests for stable seasonality
## P.value
## Kruskall-Wallis test           0.000
## Test for the presence of seasonality assuming stability  0.000
## Evolutive seasonality test    0.032
##
## Identifiable seasonality present
##
```

Export a workspace

```
wk <- new_workspace()  
new_multiprocessing(wk, name = "MP-1")  
add_sa_item(wk, multiprocessing = "MP-1",  
            sa_obj = x13_mod, name = "SA with X13 model 1")  
add_sa_item(wk, multiprocessing = "MP-1",  
            sa_obj = ts_mod, name = "SA with TramoSeats model 1")  
save_workspace(wk, "workspace.xml")
```

The screenshot shows the RJDemetra application interface. On the left is a tree view of the workspace structure:

- workspace
- Modelling
 - Seasonal adjustment
 - specifications
 - documents
 - multi-documents
 - MP-1
- Utilities
 - Calendars
 - Variables

The main area is titled "MP-1". It contains a processing tab with two rows of data:

Series	Method	Estimation	Status	Priority	Quality	Warnings	Comments
SA with X13 model 1	X13		Valid		Good		
SA with TramoSeats model 1	TS		Valid		Severe		

Below the processing tab, there is a detailed view of the "Main results" section for the "SA with X13 model 1" row:

- Input**
- Main results**
- Pre-processing**
- Decomposition (X11)**
- Benchmarking**
- Diagnostics**

SA with X13 model 1

Pre-processing (ReqArima)

Summary

Estimation span: [1-1990 - 12-2017]
336 observations
No trading days effects
No easter effect
7 detected outliers
2 fixed outliers

Import a workspace (1/3)

```
wk <- load_workspace("workspace.xml")
get_ts(wk)
```

```
## $`MP-1`
## $`MP-1`$`SA with X13 model 1 `

##      Jan   Feb   Mar   Apr   May   Jun   Jul   Aug   Sep   Oct   Nov
## 1990  90.5  92.6 101.9  95.2  92.1 103.3  91.8  65.5  99.0 102.8  94.3
## 1991  90.9  89.6  99.9  93.3  88.3 103.0  89.7  65.1  98.2 100.8  95.8
## 1992  89.4  89.0  99.5  93.0  89.1 101.3  89.4  64.1  94.9  98.6  92.2
## 1993  85.3  84.3  93.2  87.8  83.5  95.4  86.2  60.1  92.1  95.8  88.1
## 1994  84.9  84.0  94.1  90.1  86.8 100.4  90.8  64.5  96.8 101.0  96.6
## 1995  90.4  90.5 100.4  94.5  89.7 103.7  93.8  65.5  99.7 101.8  94.6
## 1996  90.3  88.8 100.7  93.8  91.2 104.4  92.3  67.2 100.2 102.3  96.9
## 1997  90.5  91.6 104.0  99.7  93.9 108.8  98.2  73.4 105.8 111.8 102.4
## 1998  99.2  99.0 109.4 103.0 100.7 114.8 104.9  73.3 109.6 112.7 105.9
## 1999 100.5  98.6 111.8 104.3 101.3 117.4 106.6  74.9 113.4 118.2 110.9
## 2000 104.8 104.9 118.9 110.2 108.0 122.5 111.8  80.5 117.5 121.7 114.3
## 2001 108.8 109.2 123.7 111.8 108.4 124.7 111.1  84.2 117.8 121.0 111.6
## 2002 106.6 107.0 121.4 112.8 106.4 122.2 109.7  82.3 117.1 118.7 113.0
## 2003 105.4 105.7 120.1 111.1 102.8 118.3 108.8  78.7 115.9 119.9 110.8
## 2004 105.8 107.0 120.0 112.1 105.8 123.6 112.0  78.4 120.0 122.0 112.0
## 2005 109.1 106.7 117.9 113.5 106.8 122.3 110.3  80.0 121.4 118.4 115.2
## 2006 107.3 106.3 121.9 112.5 110.8 126.7 112.5  82.5 122.2 121.9 113.7
```

Import a workspace (2/3)

Import a workspace (3/3)

```
compute(wk) # Important to get the Sa model
models <- get_model(wk) # A progress bar is printed by default

## Multiprocessing 1 on 1:
##  
|  
|  
|  
|=====| 0%  
|  
|=====| 50%  
|  
|=====| 100%  
  
# To extract only one model
mp <- get_object(wk, 1)
count(mp)

## [1] 2
sa2 <- get_object(mp, 2)
get_name(sa2)

## [1] "SA with TramoSeats model 1"
mod <- get_model(wk, sa2)
```

How to install the package?

The package is available on : <https://github.com/jdemetra/rjdemetra>

It has also its own website: <https://jdemetra.github.io/rjdemetra/>

Its package can be installed from CRAN:

```
install.packages("RJDemetra")
```

Or from github (development version):

```
devtools::install_github("jdemetra/rjdemetra")
```



To install it you need Java8: in case you don't, install a portable version of Java8 and set the JAVA_HOME path.



What's next? (1/2)

Documentation:

- Vignette/article for the Journal of Statistical Software
- Guide to install the package with portable version of Java (when you don't have administrator rights)
- Cheat sheet



What's next? (2/2)

Package:

- Get only the Java object of a SA (to reduce computation/customize the output)
- Possibility to used user-defined calendar regressors (currently: only user-defined regressors)
- Function to “refresh” the model (JD+ 3.0.0)

Sommaire

1. RJDemetra

2. How to use RJDemetra to improve production of SA series?

2.1 Around RJDemetra


2.2 Around JDemetra+

Examples of current use of RJDemetra

- rjdqa (experimental, no documentation): package to help quality assessment (dashboard and quality report matrix)
- ⌚ <https://github.com/AQLT/rjdqa>
- persephone (experimental): enable easy processing during production of SA series (interactive plots, dashboards...)
- ⌚ <https://github.com/statistikat/persephone>
- Non explore topics: direct vs indirect adjustment (persephone), analyse of revisions, etc.
 - Carry out studies on SA: Ladiray D., Quartier-la-Tente A., “(In)Stability of Reg-ARIMA Models for Seasonal Adjustment” → STS05 in room MANS

rjdqa

```
plot(rjdqa:::sa_dashboard(x13_mod))
```




persephone

Around JDemetra+

- Interface around JD+ 3.0:
⌚ <https://github.com/nbbrd/jd3-rtests>
- State space framework of JD+:
⌚ <https://github.com/palatej/rjdssf>
- Benchmarking and temporal disaggregation with JD+ 3.0:
⌚ <https://github.com/palatej/rjdbench>
- R interface to the JWSACruncher (no documentation yet):
⌚ <https://github.com/AQLT/rjwsacruncher>

Thank you for your attention



GitHub: [jdemetra/rjdemetra](https://github.com/jdemetra/rjdemetra)

Twitter: [@JdemetraPlus](https://twitter.com/JdemetraPlus)

Other works and packages around
JD+: GitHub: [nbbrd](https://github.com/nbbrd)

Contact:

Alain Quartier-la-Tente

E-mail: alain.quartier-la-tente@insee.fr